

Craig Watch Wind Farm

Environmental Impact Assessment Report

Volume 3b: Visualisations



June 2022



Volume 3b: Visualisations – Table of Contents

Chapter 1:	Introduction
N/A	
Chapter 2:	Development Description
N/A	
Chapter 3:	Design Evolution and Alternatives
N/A	
Chapter 4:	Planning Legislation and Policy
N/A	
Chapter 5:	Seascape, Landscape and Visual Amenity
Figures 5.9a-f:	Viewpoint 1: Minor Road, Deveron Valley
Figures 5.10a-f:	Viewpoint 2: Haugh of Glass
Figures 5.11a-f:	Viewpoint 3: Corsemaul Drive, Dufftown
Figures 5.12a-f:	Viewpoint 4: A941 North of Dufftown
Figures 5.13a-f:	Viewpoint 5: Ben Aigan
Figures 5.14a-j:	Viewpoint 6: Ben Rinnes
Figures 5.15a-h:	Viewpoint 7: Corryhabbie Hill
Figures 5.16a-h:	Viewpoint 8: Little Geal Charn
Figures 5.17a-f:	Viewpoint 9: The Buck
Figures 5.18a-f:	Viewpoint 10: Tap o’Noth
Figures 5.19a-f:	Viewpoint 11: Meikle Balloch Hill
Figures 5.20a-f:	Viewpoint 12: B9016 at Aultmore
Figures 5.21a-h:	Viewpoint 13: A920 near Wester Bodilare
Figures 5.22a-f:	Viewpoint 14: Mither Tap View Point
Figures 5.23a-f:	Viewpoint 15: Clashmach Hill
Figures 5.24a-f:	Viewpoint 16: A941 near The Grouse Inn Public House
Figures 5.25a-f:	Viewpoint 17: Cromdale Hills
Figures 5.26a-f:	Viewpoint 18: Auchindoun Castle (on approach)
Figures 5.27a-f:	Viewpoint 19: A941 near Cabrach

Chapter 6:	Cultural Heritage
Figure 3.12a-f:	Cultural Heritage: Jock’s Hill (view including Auchindoun Castle).
Figure 3.13a-f:	Cultural Heritage: Auchindoun Castle (on approach).
Figure 3.14a-f:	Cultural Heritage: Auchindoun Castle (from southern entrance).
Figure 3.15a-d:	Cultural Heritage: Balvenie Castle.
Figure 3.16a-f:	Craig Dorney.
Figure 3.21a-f:	Cultural Heritage: Tap o’Noth.
Figure 3.29a-f:	Cultural Heritage: Auchindoun Castle.
Chapter 7:	Ecology
N/A	
Chapter 8:	Ornithology
N/A	
Chapter 9:	Hydrology, Hydrogeology and Geology
N/A	
Chapter 10:	Traffic, Transport and Access
N/A	
Chapter 11:	Noise and Vibration
N/A	
Chapter 12:	Aviation and Telecommunications
N/A	
Chapter 13:	Socioeconomics
N/A	
Chapter 14:	Shadow Flicker
N/A	
Chapter 15:	Climate Change
N/A	
Chapter 16:	Summary and Mitigation
N/A	



Wireline Drawing - Proposed Craig Watch Turbines Shown In Red



Wind Farm Status
Turbine Colour Key

Operational Consented Application Scoping

OS reference: 341293 836153
Eye Level: 295m AOD
Direction of view: 249°
Distance to Development: 1.53km

Horizontal field of view: (90° cylindrical projection)
Principal distance: 812.5mm

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 06/11/2020 09:21





Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing



OS reference: 341293 836153
 Eye Level: 295m AOD
 Direction of view: 339°
 Distance to Development: 1.53km


Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 06/11/2020 09:21




Wind Farm Status
 Turbine Colour Key





Baseline Photograph



Wireline Drawing



Wind Farm Status
Turbine Colour Key


			
Operational	Consented	Application	Scoping

OS reference: 341293 836153
 Eye Level: 295m AOD
 Direction of view: 69°
 Distance to Development: 1.53km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 06/11/2020 09:21





Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing



OS reference: 341293 836153
 Eye Level: 295m AOD
 Direction of view: 159°
 Distance to Development: 1.53km


Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 06/11/2020 09:21



Wind Farm Status
 Turbine Colour Key





Wireline

View flat at a comfortable arm's length






Photomontage

View flat at a comfortable arm's length

OS reference:	341293 836153	Horizontal field of view:	53.5° (planar projection)	Camera:	Nikon D750
Eye Level:	295m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon AF 50mm f/1.4)
Direction of view:	249°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	1.53km	Correct printed image size:	820 x 260 mm	Date and time:	06/11/2020 09:21





Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing - Proposed Craig Watch Turbines Shown In Red



Wind Farm Status
Turbine Colour Key



- Operational
- Consented
- Application
- Scoping

OS reference: 342359 839140
Eye Level: 198m AOD
Direction of view: 222°
Distance to Development: 3.80km

Horizontal field of view: (90° cylindrical projection)
Principal distance: 812.5mm

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 06/11/2020 09:01





OS reference: 342359 839140
 Eye Level: 198m AOD
 Direction of view: 312°
 Distance to Development: 3.80km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 06/11/2020 09:01



Wind Farm Status
 Turbine Colour Key






Figure: 5.10c
Viewpoint 2: Haugh of Glass
Craig Watch Wind Farm Environmental Impact Assessment (EIA) Report



Wind Farm Status
Turbine Colour Key



- Operational
- Consented
- Application
- Scoping

OS reference: 342359 839140
Eye Level: 198m AOD
Direction of view: 42°
Distance to Development: 3.80km


Horizontal field of view: (90° cylindrical projection)
Principal distance: 812.5mm

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 06/11/2020 09:01





Clashindarroch II



OS reference: 342359 839140
 Eye Level: 198m AOD
 Direction of view: 132°
 Distance to Development: 3.80km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 06/11/2020 09:01



Wind Farm Status
 Turbine Colour Key



Figure: 5.10d
 Viewpoint 2: Haugh of Glass



Wireline

View flat at a comfortable arm's length





Photomontage

View flat at a comfortable arm's length

OS reference: 342359 839140
 Eye Level: 198m AOD
 Direction of view: 222°
 Distance to Development: 3.80km

Horizontal field of view: 53.5° (planar projection)
 Principal distance: 812.5mm
 Paper size: 841 x 297 mm
 Correct printed image size: 820 x 260 mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 06/11/2020 09:01




Figure: 5.10f
 Viewpoint 2: Haugh of Glass



Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing - Proposed Craig Watch Turbines Shown In Red



Wind Farm Status
Turbine Colour Key

- Operational
- Consented
- Application
- Scoping

OS reference: 332922 840010
Eye Level: 168m AOD
Direction of view: 130°
Distance to Development: 7.28km

Horizontal field of view: (90° cylindrical projection)
Principal distance: 812.5mm


Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 05/11/2020 15:23





Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing



OS reference: 332922 840010
 Eye Level: 168m AOD
 Direction of view: 220°
 Distance to Development: 7.28km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera:
 Lens:
 Camera height:
 Date and time:

Nikon D750
 50mm (Nikon AF 50mm f/1.4)
 1.5m AGL
 05/11/2020 15:23




Wind Farm Status
 Turbine Colour Key





Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing

Figure: 5.11c
Viewpoint 3: Corsemaul Drive, Dufftown



Wind Farm Status
Turbine Colour Key

			
Operational	Consented	Application	Scoping

OS reference: 332922 840010
 Eye Level: 168m AOD
 Direction of view: 310°
 Distance to Development: 7.28km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 05/11/2020 15:23






Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing

Hill of Towie II



OS reference: 332922 840010
 Eye Level: 168m AOD
 Direction of view: 40°
 Distance to Development: 7.28km


Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 05/11/2020 15:23



Wind Farm Status
 Turbine Colour Key





Wireline

View flat at a comfortable arm's length







Photomontage

View flat at a comfortable arm's length

OS reference:	332922 840010	Horizontal field of view:	53.5° (planar projection)	Camera:	Nikon D750
Eye Level:	168m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon AF 50mm f/1.4)
Direction of view:	129°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	7.28km	Correct printed image size:	820 x 260 mm	Date and time:	05/11/2020 15:23





Wireline Drawing - Proposed Craig Watch Turbines Shown In Red

Figure: 5.12a
Viewpoint 4: A941 North of Dufftown
Craig Watch Wind Farm Environmental Impact Assessment (EiAR) Report




OS reference: 331705 842728
Eye Level: 180m AOD
Direction of view: 137°
Distance to Development: 10.14m

Horizontal field of view: (90° cylindrical projection)
Principal distance: 812.5mm


Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 05/11/2020 15:39





Baseline Photograph

This image provides landscape and visual context only




Wireline Drawing



OS reference: 331705 842728
 Eye Level: 180m AOD
 Direction of view: 227°
 Distance to Development: 10.14km


Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 05/11/2020 15:39



Wind Farm Status
 Turbine Colour Key





Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing



Wind Farm Status
Turbine Colour Key

			
Operational	Consented	Application	Scoping

OS reference: 331705 842728
Eye Level: 180m AOD
Direction of view: 317°
Distance to Development: 10.14km

Horizontal field of view: (90° cylindrical projection)
Principal distance: 812.5mm


Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 05/11/2020 15:39





Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing



OS reference: 331705 842728
 Eye Level: 180m AOD
 Direction of view: 47°
 Distance to Development: 10.14km


Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 05/11/2020 15:39



Wind Farm Status
 Turbine Colour Key





Wireline

View flat at a comfortable arm's length





Photomontage

View flat at a comfortable arm's length


OS reference:	331705 842728	Horizontal field of view:	53.5° (planar projection)	Camera:	Nikon D750
Eye Level:	180m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon AF 50mm f/1.4)
Direction of view:	137°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	10.14km	Correct printed image size:	820 x 260 mm	Date and time:	05/11/2020 15:39





Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing - Proposed Craig Watch Turbines Shown In Red

Figure: 5.13a
Viewpoint 5: Ben Aigan
Craig Watch Wind Farm Environmental Impact Assessment (EiAR) Report



Wind Farm Status
Turbine Colour Key


- Operational
- Consented
- Application
- Scoping

OS reference: 331020 848154
 Eye Level: 464m AOD
 Direction of view: 149°
 Distance to Development: 14.66km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 28/11/2020 13:41





Baseline Photograph

This image provides landscape and visual context only




Wireline Drawing



OS reference: 331020 848154
 Eye Level: 464m AOD
 Direction of view: 239°
 Distance to Development: 14.66km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 28/11/2020 13:41



Wind Farm Status
 Turbine Colour Key



Figure: 5.13b
 Viewpoint 5: Ben Aigan



Wind Farm Status
Turbine Colour Key

			
Operational	Consented	Application	Scoping

OS reference: 331020 848154
 Eye Level: 464m AOD
 Direction of view: 329°
 Distance to Development: 14.66km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 28/11/2020 13:41

